



Profilmesser 40 x 4 mm

Qualität: SP-Stahl und HS

Abweiser A 38 x 4 mm

 F 190 SP
F 4190 HS
A 190











Profile knives 40 x 4 mm

Quality: SP steel and HS

Limiter A 38 x 4 mm

 F 191 SP
F 4191 HS
A 191

Couteaux profilés 40 x 4 mm


Qualité: Acier SP et HS

Contre-fer A 38 x 4 mm

 F 192 SP
F 4192 HS
A 192

 F 01 SP
F 4001 HS
A 01

 F 02 SP
F 4002 HS
A 02

 F 03 SP
F 4003 HS
A 03

 F 04 SP
F 4004 HS
A 04

 F 05 SP
F 4005 HS
A 05

 F 06 SP
F 4006 HS
A 06

 F 07 SP
F 4007 HS
A 07

 F 08 SP
F 4008 HS
A 08

 F 09 SP
F 4009 HS
A 09

Profilmesser 40 x 4 mm

Qualität: SP-Stahl und HS

Abweiser A 38 x 4




F 10 SP
F 4010 HS
A 10

Profile knives 40 x 4 mm

Quality: SP steel and HS

Limiter A 38 x 4




F 11 SP
F 4011 HS
A 11


Couteaux profilés 40 x 4 mm

Qualité: Acier SP et HS


Contre-fer A 38 x 4




F 12 SP
F 4012 HS
A 12




F 13 SP
F 4013 HS
A 13




F 14 SP
F 4014 HS
A 14




F 15 SP
F 4015 HS
A 15




F 16 SP
F 4016 HS
A 16




F 17 SP
F 4017 HS
A 17




F 18 SP
F 4018 HS
A 18



F 19 SP
F 4019 HS
A 19




F 20 SP
F 4020 HS
A 20



F 21 SP
F 4021 HS
A 21


Profilmesser 40 x 4 mm

Qualität: SP-Stahl und HS

Abweiser A 38 x 4

 F 22 SP
F 4022 HS
A 22











Profile knives 40 x 4 mm

Quality: SP steel and HS

Limiter A 38 x 4

 F 23 SP
F 4023 HS
A 23

Couteaux profilés 40 x 4 mm


Qualité: Acier SP et HS

Contre-fer A 38 x 4

 F 24 SP
F 4024 HS
A 24

 F 25 SP
F 4025 HS
A 25

 F 26 SP
F 4026 HS
A 26

 F 27 SP
F 4027 HS
A 27

 F 28 SP
F 4028 HS
A 28

 F 29 SP
F 4029 HS
A 29

 F 30 SP
F 4030 HS
A 30

 F 31 SP
F 4031 HS
A 31

 F 32 SP
F 4032 HS
A 32

 F 33 SP
F 4033 HS
A 33

Profilmesser 40 x 4 mm

Qualität: SP-Stahl und HS

Abweiser A 38 x 4




F 34 SP
F 4034 HS
A 34

Profile knives 40 x 4 mm

Quality: SP steel and HS

Limiter A 38 x 4




F 35 SP
F 4035 HS
A 35


Couteaux profilés 40 x 4 mm

Qualité: Acier SP et HS


Contre-fer A 38 x 4




F 36 SP
F 4036 HS
A 36




F 37 SP
F 4037 HS
A 37




F 38 SP
F 4038 HS
A 38




F 39 SP
F 4039 HS
A 39




F 40 SP
F 4040 HS
A 40




F 41 SP
F 4041 HS
A 41




F 42 SP
F 4042 HS
A 42



F 43 SP
F 4043 HS
A 43




F 44 SP
F 4044 HS
A 44



F 45 SP
F 4045 HS
A 45


Profilmesser 40 x 4 mm

Qualität: SP-Stahl und HS

Abweiser A 38 x 4 mm

 F 46 SP
 F 4046 HS
 A 46











Profile knives 40 x 4 mm

Quality: SP steel and HS

Limiter A 38 x 4 mm

 F 47 SP
 F 4047 HS
 A 47

Couteaux profilés 40 x 4 mm


Qualité: Acier SP et HS

Contre-fer A 38 x 4 mm

 F 48 SP
 F 4048 HS
 A 48

 F 49 SP
 F 4049 HS
 A 49

 F 50 SP
 F 4050 HS
 A 50

 F 51 SP
 F 4051 HS
 A 51

 F 52 SP
 F 4052 HS
 A 52

 F 53 SP
 F 4053 HS
 A 53

 F 54 SP
 F 4054 HS
 A 54

 F 55 SP
 F 4055 HS
 A 55

 F 56 SP
 F 4056 HS
 A 56

 F 57 SP
 F 4057 HS
 A 57

Profilmesser 40 x 4 mm

Qualität: SP-Stahl und HS

Abweiser A 38 x 4 mm




F 58 SP
F 4058 HS
A 58

Profile knives 40 x 4 mm

Quality: SP steel and HS

Limiter A 38 x 4 mm




F 59 SP
F 4059 HS
A 59


Couteaux profilés 40 x 4 mm

Qualité: Acier SP et HS


Contre-fer A 38 x 4 mm




F 60 SP
F 4060 HS
A 60




F 61 SP
F 4061 HS
A 61




F 62 SP
F 4062 HS
A 62




F 63 SP
F 4063 HS
A 63




F 64 SP
F 4064 HS
A 64




F 65 SP
F 4065 HS
A 65




F 66 SP
F 4066 HS
A 66



F 67 SP
F 4067 HS
A 67




F 68 SP
F 4068 HS
A 68



F 69 SP
F 4069 HS
A 69


Profilmesser 40 x 4 mm

Qualität: SP-Stahl und HS

Abweiser A 38 x 4 mm

 F 70 SP
F 4070 HS
A 70











Profile knives 40 x 4 mm

Quality: SP steel and HS

Limiter A 38 x 4 mm

 F 71 SP
F 4071 HS
A 71

Couteaux profilés 40 x 4 mm


Qualité: Acier SP et HS

Contre-fer A 38 x 4 mm

 F 72 SP
F 4072 HS
A 72

 F 73 SP
F 4073 HS
A 73

 F 74 SP
F 4074 HS
A 74

 F 75 SP
F 4075 HS
A 75

 F 76 SP
F 4076 HS
A 76

 F 77 SP
F 4077 HS
A 77

 F 78 SP
F 4078 HS
A 78

 F 79 SP
F 4079 HS
A 79

 F 80 SP
F 4080 HS
A 80

 F 81 SP
F 4081 HS
A 81

Profilmesser 40 x 4 mm

Qualität: SP-Stahl und HS

Abweiser A 38 x 4 mm




F 82 SP
F 4082 HS
A 82

Profile knives 40 x 4 mm

Quality: SP steel and HS

Limiter A 38 x 4 mm




F 83 SP
F 4083 HS
A 83


Couteaux profilés 40 x 4 mm

Qualité: Acier SP et HS


Contre-fer A 38 x 4 mm




F 84 SP
F 4084 HS
A 84




F 85 SP
F 4085 HS
A 85




F 86 SP
F 4086 HS
A 86




F 87 SP
F 4087 HS
A 87




F 88 SP
F 4088 HS
A 88




F 89 SP
F 4089 HS
A 89




F 90 SP
F 4090 HS
A 90



F 91 SP
F 4091 HS
A 91




F 92 SP
F 4092 HS
A 92



F 93 SP
F 4093 HS
A 93


Profilmesser 40 x 4 mm

Qualität: SP-Stahl und HS

Abweiser A 38 x 4 mm

 F 94 SP
 F 4094 HS
 A 94





Profile knives 40 x 4 mm

Quality: SP steel and HS

Limiter A 38 x 4 mm

 F 95 SP
 F 4095 HS
 A 95

Couteaux profilés 40 x 4 mm


Qualité: Acier SP et HS

Contre-fer A 38 x 4 mm

 F 96 SP
 F 4096 HS
 A 96

 F 97 SP
 F 4097 HS
 A 97

 F 98 SP
 F 4098 HS
 A 98

 F 99 SP
 F 4099 HS
 A 99


Profilmesser 40 x 4 mm

Qualität: SP-Stahl und HS

Abweiser A 38 x 4 mm




F 100 SP
F 4100 HS
A 100

Profile knives 40 x 4 mm

Quality: SP steel and HS

Limiter A 38 x 4 mm




F 101 SP
F 4101 HS
A 101


Couteaux profilés 40 x 4 mm

Qualité: Acier SP et HS


Contre-fer A 38 x 4 mm




F 102 SP
F 4102 HS
A 102




F 103 SP
F 4103 HS
A 103




F 104 SP
F 4104 HS
A 104




F 105 SP
F 4105 HS
A 105




F 106 SP
F 4106 HS
A 106




F 107 SP
F 4107 HS
A 107




F 108 SP
F 4108 HS
A 108



F 109 SP
F 4109 HS
A 109




F 110 SP
F 4110 HS
A 110



F 111 SP
F 4111 HS
A 111


Profilmesser 40 x 4 mm

Qualität: SP-Stahl und HS

Abweiser A 38 x 4 mm

 F 112 SP
F 4112 HS
A 112











Profile knives 40 x 4 mm

Quality: SP steel and HS

Limiter A 38 x 4 mm

 F 113 SP
F 4113 HS
A 113

Couteaux profilés 40 x 4 mm


Qualité: Acier SP et HS

Contre-fer A 38 x 4 mm

 F 114 SP
F 4114 HS
A 114

 F 115 SP
F 4115 HS
A 115

 F 116 SP
F 4116 HS
A 116

 F 117 SP
F 4117 HS
A 117

 F 118 SP
F 4118 HS
A 118

 F 119 SP
F 4119 HS
A 119

 F 120 SP
F 4120 HS
A 120

 F 121 SP
F 4121 HS
A 121

 F 122 SP
F 4122 HS
A 122

 F 123 SP
F 4123 HS
A 123

Profilmesser 40 x 4 mm

Qualität: SP-Stahl und HS

Abweiser A 38 x 4 mm




F 124 SP
F 4124 HS
A 124

Profile knives 40 x 4 mm

Quality: SP steel and HS

Limiter A 38 x 4 mm




F 125 SP
F 4125 HS
A 125


Couteaux profilés 40 x 4 mm

Qualité: Acier SP et HS


Contre-fer A 38 x 4 mm




F 126 SP
F 4126 HS
A 126




F 127 SP
F 4127 HS
A 127




F 128 SP
F 4128 HS
A 128




F 129 SP
F 4129 HS
A 129




F 130 SP
F 4130 HS
A 130




F 131 SP
F 4131 HS
A 131




F 132 SP
F 4132 HS
A 132



F 133 SP
F 4133 HS
A 133




F 134 SP
F 4134 HS
A 134



F 135 SP
F 4135 HS
A 135


Profilmesser 40 x 4 mm

Qualität: SP-Stahl und HS

Abweiser A 38 x 4 mm

 F 170 SP
 F 4170 HS
 A 170







Profile knives 40 x 4 mm

Quality: SP steel and HS

Limiter A 38 x 4 mm

 F 171 SP
 F 4171 HS
 A 171

Couteaux profilés 40 x 4 mm


Qualité: Acier SP et HS

Contre-fer A 38 x 4 mm

 F 172 SP
 F 4172 HS
 A 172

 F 173 SP
 F 4173 HS
 A 173

 F 174 SP
 F 4174 HS
 A 174

 F 175 SP
 F 4175 HS
 A 175

 F 176 SP
 F 4176 HS
 A 176

 F 177 SP
 F 4177 HS
 A 177

Messerblanketten 40 x 4 mm

Qualität: SP-Stahl und HS

Abweiser A 38 x 4 mm




F 194 SP
F 4193 HS
A 194

Max. Profilierungstiefe 13 mm
Profiling depth max. 13 mm
Zone de profilage max. 13 mm

Blank knives 40 x 4 mm

Quality: SP steel and HS

Limiter A 38 x 4 mm




F 193 SP
F 4195 HS
A 193

Max. Profilierungstiefe 18 mm
Profiling depth max. 18 mm
Zone de profilage max. 18 mm

Couteaux bruts 40 x 4 mm


Qualité: Acier SP et HS

Contre-fer A 38 x 4 mm



F 195 SP
F 4194 HS
A 195

Max. Profilierungstiefe 19 mm
Profiling depth max. 19 mm
Zone de profilage max. 19 mm




F 4199 HS
A 4199

Max. Profilierungstiefe 24 mm
Profiling depth max. 24 mm
Zone de profilage max. 24 mm


Profilmesser 50 x 4 mm

Qualität: SP-Stahl und HS

Abweiser A 48 x 4 mm

 F 500 SP
 F 5500 HS
 A 500











Profile knives 50 x 4 mm

Quality: SP steel and HS

Limiter A 48 x 4 mm

 F 501 SP
 F 5501 HS
 A 501

Couteaux profilés 50 x 4 mm


Qualité: Acier SP et HS

Contre-fer A 48 x 4 mm

 F 502 SP
 F 5502 HS
 A 502

 F 503 SP
 F 5503 HS
 A 503

 F 504 SP
 F 5504 HS
 A 504

 F 505 SP
 F 5505 HS
 A 505

 F 506 SP
 F 5506 HS
 A 506

 F 507 SP
 F 5507 HS
 A 507

 F 508 SP
 F 5508 HS
 A 508

 F 509 SP
 F 5509 HS
 A 509

 F 510 SP
 F 5510 HS
 A 510

 F 511 SP
 F 5511 HS
 A 511

Profilmesser 50 x 4 mm

Qualität: SP-Stahl und HS

Abweiser A 48 x 4 mm




F 512 SP
F 5512 HS
A 512

Profile knives 50 x 4 mm

Quality: SP steel and HS

Limiter A 48 x 4 mm




F 513 SP
F 5513 HS
A 513


Couteaux profilés 50 x 4 mm

Qualité: Acier SP et HS


Contre-fer A 48 x 4 mm




F 514 SP
F 5514 HS
A 514




F 515 SP
F 5515 HS
A 515




F 516 SP
F 5516 HS
A 516




F 517 SP
F 5517 HS
A 517




F 518 SP
F 5518 HS
A 518




F 519 SP
F 5519 HS
A 519



F 520 SP
F 5520 HS
A 520



F 522 SP
F 5522 HS
A 522




F 523 SP
F 5523 HS
A 523




Profilmesser 50 x 4 mm

Qualität: SP-Stahl und HS

Abweiser A 48 x 4 mm

 F 524 SP
F 5524 HS
A 524











Profile knives 50 x 4 mm

Quality: SP steel and HS

Limiter A 48 x 4 mm

 F 541 SP
F 5541 HS
A 541

Couteaux profilés 50 x 4 mm


Qualité: Acier SP et HS

Contre-fer A 48 x 4 mm

 F 542 SP
F 5542 HS
A 542

 F 543 SP
F 5543 HS
A 543

 F 544 SP
F 5544 HS
A 544

 F 545 SP
F 5545 HS
A 545

 F 546 SP
F 5546 HS
A 546

 F 547 SP
F 5547 HS
A 547

 F 548 SP
F 5548 HS
A 548

 F 549 SP
F 5549 HS
A 549

 F 550 SP
F 5550 HS
A 550

 F 551 SP
F 5551 HS
A 551

Profilmesser 50 x 4 mm

Qualität: SP-Stahl und HS

Abweiser A 48 x 4 mm




F 552 SP
F 5552 HS
A 552

Profile knives 50 x 4 mm

Quality: SP steel and HS

Limiter A 48 x 4 mm




F 553 SP
F 5553 HS
A 553


Couteaux profilés 50 x 4 mm

Qualité: Acier SP et HS


Contre-fer A 48 x 4 mm




F 554 SP
F 5554 HS
A 554




F 555 SP
F 5555 HS
A 555



F 556 SP
F 5556 HS
A 556




F 557 SP
F 5557 HS
A 557



F 558 SP
F 5558 HS
A 558


Profilmesser 50 x 4 mm

Qualität: SP-Stahl und HS

Abweiser A 48 x 4 mm

 F 559 SP
F 5559 HS
A 559











Profile knives 50 x 4 mm

Quality: SP steel and HS

Limiter A 48 x 4 mm

 F 560 SP
F 5560 HS
A 560

Couteaux profilés 50 x 4 mm


Qualité: Acier SP et HS

Contre-fer A 48 x 4 mm

 F 561 SP
F 5561 HS
A 561

 F 562 SP
F 5562 HS
A 562

 F 563 SP
F 5563 HS
A 563

 F 564 SP
F 5564 HS
A 564

 F 565 SP
F 5565 HS
A 565

 F 566 SP
F 5566 HS
A 566

 F 567 SP
F 5567 HS
A 567

 F 568 SP
F 5568 HS
A 568

 F 569 SP
F 5569 HS
A 569

 F 570 SP
F 5570 HS
A 570

Profilmesser 50 x 4 mm

Qualität: SP-Stahl und HS

Abweiser A 48 x 4 mm




F 571 SP
F 5571 HS
A 571

Profile knives 50 x 4 mm

Quality: SP steel and HS

Limiter A 48 x 4 mm




F 572 SP
F 5572 HS
A 572


Couteaux profilés 50 x 4 mm

Qualité: Acier SP et HS


Contre-fer A 48 x 4 mm




F 573 SP
F 5573 HS
A 573




F 574 SP
F 5574 HS
A 574




F 575 SP
F 5575 HS
A 575




F 576 SP
F 5576 HS
A 576




F 577 SP
F 5577 HS
A 577



F 578 SP
F 5578 HS
A 578




F 579 SP
F 5579 HS
A 579



F 580 SP
F 5580 HS
A 580

Messerblanketten 50 x 4 mm

Qualität: SP-Stahl und HS


Abweiser A 48 x 4 mm


F 598 SP
F 5196 HS
A 598

Max. Profilierungstiefe 14 mm
Profiling depth max. 14 mm
Zone de profilage max. 14 mm

Blank knives 50 x 4 mm

Quality: SP steel and HS


Limiter A 48 x 4 mm


F 599 SP
F 5194 HS
A 599

Max. Profilierungstiefe 20 mm
Profiling depth max. 20 mm
Zone de profilage max. 20 mm

Couteaux bruts 50 x 4 mm

Qualité: Acier SP et HS

Contre-fer A 48 x 4 mm


F 5199 HS
A 5199

Max. Profilierungstiefe 24 mm
Profiling depth max. 24 mm
Zone de profilage max. 24 mm